Conforms to Reg. (EC) No 1907/2006, Reg. (EC) No 1272/2008, Reg. (EC) No.453/2010 and their amendments

DATE:2014/05/05

	5,(12,201,1,05,05
SECTION 1: Identification of the product and the company	/undertaking
1.1. Product identifier	
Product name: Rubber solution	
Synonyms: Rubber Cement	
<b>1.2.</b> Relevant identified uses of the product and uses ad	vised against
1.2.1. Relevant identified uses	
Sticky for all rubber repairs.	
1.2.2. Uses advised against	
Advise against other uses.	
<b>1.3.</b> Details of the supplier of the safety data sheet	
Supplier name: YING PAIO ENTERPRISE CO.,LTD	
Address: 1F, No 480-2, Sec 6, Yen Ping N. Rd.11175	, Taipei, Taiwan
Telephone: +886-02-2812-4515	
Fax: +886-02-2813-3016	
E-mail: yingpaio@ms17.hinet.net	
1.4. Emergency telephone number	

Country	Advisory body	Address	Emergency number

SECT:	ION 2: Hazards identification
2.1.	Classification of the product

Classification according to Regulation EC No 1272/2008(CLP)

Hazard Codes	Statements
H225	Highly flammable liquid and vapour
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects

## Other adverse physico-chemical, human health and environmental effects

None

Conforms to Reg. (EC) No 1907/2006, Reg. (EC) No 1272/2008, Reg. (EC) No.453/2010 and their amendments

DATE: 2014/05/05

#### Label elements 2.2.

Labelling according to Regulation EC No 1272/2008(CLP)

#### Hazard pictogram:



Signal word:	Danger		
Hazard statements:	H225: Highly flammable liquid and vapour.		
	H315: Causes skin irritation		
	H336: May cause drowsiness or dizziness.		
	H411: Toxic to aquatic life with long lasting effects.		
Precautionary			
statements:			
Prevention:	P210: Keep away from heat/sparks/open flames/hot surfaces No smoking.		
	P233: Keep container tightly closed.		
	P240: Ground/bond container and receiving equipment.		
	P241: Use explosion-proof electrical/ventilating/lighting/ /equipment		
	P242: Use only non-sparking tools.		
	P243: Take precautionary measures against static discharge.		
	P261: Avoid breathing dust/fume/gas/mist/vapours/spray.		
	P264: Wash thoroughly after handling.		
	P271: Use only outdoors or in a well-ventilated area.		
	P273: Avoid release to the environment.		
	P280: Wear protective gloves/protective clothing/eye protection/face protection.		
Response:	P302+P352: IF ON SKIN: Wash with plenty of soap and water		
	P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately al I		
	contaminated clothing. Rinse skin with water/shower.		
	P304+340: IF INHALE D: Remove victim to fresh air and keep at rest in a position		
	comfortable for breathing		
	P312: Call a POISON CENTER or doctor/physician if you feel unwell.		
	P332+P313: If skin irritation occurs: Get medical advice/attention		
	P362: Take off contaminated clothing and wash before re-use.		
	P391: Collect spillage.		
Storage:	P403+P233: Store in a well-ventilated place. Keep container tightly closed.		
	P403+P235: Store in a well-ventilated place. Keep cool.		

Conforms to Reg. (EC) No 1907/2006, Reg. (EC) No 1272/2008, Reg. (EC) No.453/2010 and their amendments DATE: 2014/05/05

P405: Store locked up.

**Disposal:** P501: Dispose of contents/container in accordance with local/regional/national/international regulation.

**Other hazards** 2.3.

None

**SECTION 3: Composition/information on ingredients** 3.1. Substance

Not applicable.

3.2.	Mixture			
1. 2. 3. 4.	CAS# EC# Index # REACH #	Name	% w/w	Classification according to (EC) No 1272/2008 (CLP)
1.	108-87-2	Methylcyclohexane	85	Flam. Liquid 2; H225
2.	203-624-3			Asp. Toxicity 1; H304
3.	No data available			Skin Irritation 2;H315
4.	No data available			STOT SE 3;H336
				Aquatic Chronic 2;H411
1.	9006-04-6	Rubber, natural	15	Not classified
2.	232-689-0			
3.	No data available			
4.	No data available			
ull te	xt of R-, H- and EUH-p	hrases: see section 16		

#### **SECTION 4: First aid measures Description of first aid measures** 4.1.

**Inhalation:** Move victim to fresh air. If not breathing, give artificial respiration. Get medical attention.

**Skin contact:** Immediately wash with plenty of soap and water. Get medical attention if irritation occurs.

Eye contact: Immediately flush eyes with running water for at least 20 minutes holding eyelids open. Get medical attention.

**Ingestion:** Do not induce vomiting. Give 1-2 glasses of water to a conscious victim. Never give anything by mouth to an unconscious victim. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

#### Inhaled:

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by E C Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

#### **Ingestion:**

Although ingestion is not thought to produce harmful effects (as classified under E C Directives), the material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g liver, kidney) damage is evident. P resent definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease, ill-health).

Conforms to Reg. (EC) No 1907/2006, Reg. (EC) No 1272/2008, Reg. (EC) No.453/2010 and their amendments DATE: 2014/05/05

## Skin Contact:

The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models).Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.

#### Eye:

When applied to the eye(s) of animals, the material produces severe ocular lesions which are present twenty-four hours or more after Instillation.

#### **Chronic:**

Long-term exposure to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by al I routes should be minimised as a matter of course.

4.3. Indication of any immediate medical attention and special treatment needed

Get medical attention and treat symptomatically.

# SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Foam.

Dry chemical powder.

BCF (where regulations permit).

Carbon dioxide.

Use extinguishing media suitable for surrounding area.

#### 5.2. Special hazards arising from the product

Fire Incompatibility: Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may Result.

#### 5.3. Advice for firefighters

Alert Fire Brigade and tell them location and nature of hazard.

Wear breathing apparatus plus protective gloves.

Prevent, by any means available, spillage from entering drains or water courses.

Use water delivered as a fine spray to control fire and cool adjacent area.

DO NOT approach containers suspected to be hot.

Cool fire exposed containers with water spray from a protected location.

Only when safe to do so, remove containers from path of fire.

# SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Wear chemical goggles and chemical resistant gloves.

#### 6.1.2. For emergency responders

Wear breathing apparatus plus protective gloves. Remove ignition sources and provision of sufficient ventilation, evacuate the danger area and consult experts.

Conforms to Reg. (EC) No 1907/2006, Reg. (EC) No 1272/2008, Reg. (EC) No.453/2010 and their amendments DATE: 2014/05/05

6.2. Environmental precautions

Take precautions to prevent entry into waterways, sewers, or surface drainage systems. Dispose according to local or international regulations.

6.3. Methods and material for containment and cleaning up

Use appropriate tools to put the spilled chemicals in suitable container for recovery or disposal.

#### 6.4. Reference to other sections

Refer to Section 8 for Personal Protective Equipment advice.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: aluminium tube Refer to section 10. Storage incompatibility: Avoid reaction with strong acid, alkali and oxidizing agents.

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2, no other specific uses are stipulated.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

control para					
Substance	Methylcyclohexane				
CAS No.	108-87-2				
	Limit value - Eight hou	ſS	Limit value - Short term	1	
	ppm	mg/m³	ppm	mg/m³	
Australia	400	1610			
Austria	400	1600	1600	6400	
Belgium	400	1633			
Canada - Ontario	400				
Canada - Québec	400	1610			
Denmark	200	805	400	1610	
European Union					
France	400	1600			
Germany (AGS)	200	810	400	1620	
Germany (DFG)	200	810	400	1620	
Hungary					
Ireland	400	1600			
Italy					
Japan					
Latvia					
New Zealand	400	1610			
Poland		1600		3000	

Conforms to Reg. (EC) No 1907/2006, Reg. (EC) No 1272/2008, Reg. (EC) No.453/2010 and their amendments DATE: 2014/05/05

Singapore	400	1610		
South Korea	400	1600		
Spain	400	1630		
Sweden				
Switzerland	400	1600	800	3200
The Netherlands				
USA - NIOSH	400	1600		
USA - OSHA	500	2000		
United Kingdom	196	800		

#### 8.2. Exposure controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Welldesigned engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

General Personal Protection: Safety goggles or face shield, chemical resistant gloves, protective clothing and apparatus.

SECTION 9: Physical and chemical pro 9.1. Information on basic physical	
Physical state: Colour: Odour: pH: Melting point/freezing point: Boiling point: Flash point: Vapour pressure: Relative density: Water solubility: Partition coefficient (n-octanol/water): Auto-ignition temperature: Flammability: Upper/lower explosive limits: Explosive properties: Oxidising properties: Dissociation constants: Surface tension: Viscosity:	liquid Clourless Characteristic No data available No data available 100 -4 No data available No data available No data available No data available No data available Flammable No data available No data available
9.2. Other information	

No data available.

Conforms to Reg. (EC) No 1907/2006, Reg. (EC) No 1272/2008, Reg. (EC) No.453/2010 and their amendments

# **SECTION 10: Stability and reactivity**

10.1. Reactivity

May react with strong acid, alkali, oxidizing agents and incompatible materials.

#### 10.2. Chemical stability

Product is considered stable during storage and transporation under normal condition.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions may occur if contact with incompatible material.

#### 10.4. Conditions to avoid

High temperature, ignition sources (sparks, flames, static), incompatible materials.

10.5. Incompatible materials

Strong acid, alkali and oxidizing agents

**10.6.** Hazardous decomposition products

On combustion or thermal decomposition, may emit toxic fumes.

# **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

No data available for the mixture.

SECTION 12: Ecological information	
12.1. Aquatic toxicity	
No data available for the mixture.	
12.2. Persistence and degradability	
Biodegradation:	No data available
Abiotic degradation:	No data available
12.3. Bioaccumulative potential	
Bioconcentration factor (BCF):	No data available
12.4. Mobility in soil	
Distribution to environmental compartments:	No data available
Adsorption/Desorption:	No data available
12.5. Results of PBT and vPvB assessment	
No data available.	

#### 12.6. Other adverse effects

No data available.

#### **SECTION 13: Disposal considerations** 13.1. Waste treatment methods

Product disposal: refer to specific national regulation.

Contaminated packaging: contaminated, empty containers must be disposed of as chemical waste.

Conforms to Reg. (EC) No 1907/2006, Reg. (EC) No 1272/2008, Reg. (EC) No.453/2010 and their amendments DATE: 2014/05/05

#### SECTION 14: Transport information

Based on available information, the product is not considered as dangerous goods and the UN recommendation on the transport of dangerous goods does not necessarily apply, however, it is highly recommended to get professional advice for appropriate transport.

#### Label required

None

## Land transport (ADR / RID / GGVSE)

Land transport (ADR / RID / GGVS	E)		
<ul> <li>14.1 UN number</li> <li>14.2 UN proper shipping name</li> <li>14.3 Transport hazard class(es)</li> <li>14.4 Packing group</li> <li>14.5 Environmental hazards</li> <li>14.6 Special precautions for user</li> </ul>	1133 ADHESIVES 3 II None Hazard identification (H Classification Code Hazard Label Special provisions Add limited quantity	Kemler) 33 F1 3 640C 5L	
Air transport (ICAO-IATA / DGR)			
<ul><li>14.1 UN number</li><li>14.2 UN proper shipping name</li><li>14.3 Transport hazard class(es)</li><li>14.4 Packing group</li><li>14.5 Environmental hazards</li><li>14.6 Special precautions for user</li></ul>	1133 ADHESIVES ICAO/IATA Class: 3 ICAO/IATA Subrisk: No ERG Code 3L II None Special provisions Cargo Only Packing Ins Cargo Only Maximum ( Passenger and Cargo N Passenger and Cargo N Passenger and Cargo L Passenger and Cargo N	structions Qty /Pack Packing Instructions Maximum Qty / Pack .imited Quantity Packing Instructions	A3 364 60L 353 5L Y341 1L
Sea transport (IMDG-Code / GGVS	ee)		
<ul> <li>14.1 UN number</li> <li>14.2 UN proper shipping name</li> <li>14.3 Transport hazard class(es)</li> <li>14.4 Packing group</li> <li>14.5 Environmental hazards</li> <li>14.6 Special precautions for user</li> </ul>	1133 ADHESIVES 3 II None EMS Number Special provisions Limited Quantities	F-E ,S-D None 5L	
Inland waterways transport (ADNR			
<ul><li>14.1 UN number</li><li>14.2 UN proper shipping name</li><li>14.3 Transport hazard class(es)</li><li>14.4 Packing group</li><li>14.5 Environmental hazards</li><li>14.6 Special precautions for user</li></ul>	1133 ADHESIVES 3 ADNR Label: 3 II None Classification code Limited quantity Equipment required Fire cones number	F1 LQ3 No data available 1	

Conforms to Reg. (EC) No 1907/2006, Reg. (EC) No 1272/2008, Reg. (EC) No.453/2010 and their amendments DATE: 2014/05/05

#### 14.7. Transport in bulk according to Annex II of MARPOL 73 / 78 and the IBC code

No data available

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - 67/548/EEC, 1999/45/EC, Regulation (EC) No 1272/2008, Regulation (EC) No 1907/2006, 98/24/EC, 92/85/EEC, 94/33/EC, 91/689/EEC and 1999/13/EC.

#### 15.1.2. International/national regulations

UN recommendation on the transport of dangerous goods.

#### 15.1.3. Regulation for ingredients

None

15.2. Chemical safety assessment

No chemical safety assessment report was provided for this safety data sheet compilation.

#### SECTION 16: Other information

**16.1** Key literature references and sources for data

- ESIS (European chemical Substances Information System), http://esis.jrc.ec.europa.eu/

- Information on Chemicals in ECHA website, *http://echa.europa.eu/information-on-chemicals* 

- IFA GESTIS - International limit values for chemical agents - Occupational exposure limits (OELs),

http://www.dguv.de/ifa/en/gestis/limit\_values/index.jsp

**16.2 List of relevant hazard statements and risk phrases** 

H phrase H304: May be fatal if swallowed and enters airways.

#### 16.3 Other

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EUCEN Standards:

EN 16 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

The information presented in this SDS is based on our current knowledge and available data as of the issue date, and is only intended to describe the product for the purposes of protecting human health and environment from potential hazard. It should not therefore be construed as guaranteeing any specific property of the product.